


Тротуары слева		ширина 4 м, материал а/д 000-300											
Дорожные ограждения и направляющие устр-ва слева								огранич. ПП 185-235				огранич. ПП 262-300	
Дорожные ограждения и направляющие устр-ва по осевой													
Горизонтальная дорожная разметка слева	4-я от осевой			1.7 020-068		1.1 068-105							
	3-я от осевой	1.1 000-015	1.1 019-039	1.6 039-115		1.1 119-141	1.6 141-191	1.5 191-235	1.1 262-286	1.6 286-300			
	2-я от осевой	1.1 000-015	1.1 019-039	1.6 039-112		1.1 116-141	1.6 141-191	1.5 191-235	1.1 262-286	1.6 286-300			
	1-я от осевой	1.1 000-109		1.1 113-141		1.6 141-156	1.1 144-242		1.7-2шт 242-254	1.1 254-300			


Разметка на участке:

- 1.1 - 427 м
- 1.1ж. - 502 м
- 1.3ж. - 23 м
- 1.5 - 218 м
- 1.6 - 546 м
- 1.7 - 264 м
- 1.11ж. - 11 м
- 1.12 - 23 м
- 1.14.1 - 72 шт
- 1.16.1. - 17 м
- 1.16.1ж. - 200 м
- 1.17.1 - 6 м
- 1.18(1) - 15 шт
- 1.18(2) - 8 шт
- 1.18(3) - 3 шт
- 1.24.3 - 1 шт




Горизонтальная дорожная разметка справа	Осевая линия	1.1 000-106				1.11 110-121	1.3 121-144	1.1 144-242			1.6 189-210	1.1 210-235	1.7-2шт 242-254	1.1 254-300		
	1-я от осевой	1.1 000-015	1.6 019-086	1.1 086-106	1.7 106-114	1.5 114-160		1.6 160-210		1.1 210-235		1.7 244-252	1.5 262-281	1.6 281-300		
	2-я от осевой	1.1 000-015	1.6 019-086	1.1 086-106	1.7 106-114	1.5 114-160		1.6 160-210		1.1 210-235		1.7 244-252	1.5 262-281	1.6 281-300		
	3-я от осевой														1.17 294-300	
Дорожные ограждения и направляющие устр-ва справа									огранич. ПП 185-235				огранич. ПП 262-294			
Тротуары справа		ширина 4 м, материал а/б 000-300														

* Знаки учтены в ПОДД на примыкающие улицы



1.1 – 244 м
1.1ж. – 214 м
1.2 – 226 м
1.3ж. – 130 м
1.5 – 618 м
1.6 – 362 м
1.7 – 185 м
1.12 – 26 м
1.14.1 – 25 ум
1.16.1ж. – 40 м
1.16.2 – 8 м
1.17.1 – 32 м
1.18(1) – 10 ум
1.18(2) – 2 ум
1.18(3) – 2 ум
1.19 – 2 ум



* Знаки учтены в ПОДД на примыкающие улицы

Горизонтальная дорожная разметка справа	Осевая линия	1.1 900-965				1.7-2 шм 970-979				1.1 979-1036				1.3 1036-1150				1.1-2 шм 1150-1184		1.3 1184-1200			
	1-я от осевой	1.6 900-923	1.1 923-952		1.1 952-965	1.1 956-970	1.7 970-979	1.5 979-1150								1.6 1150-1200							
	2-я от осевой	1.6 900-923	1.1 923-952		1.14.1 952-965	1.1 956-970	1.7 970-979	1.5 979-1036				1.2 1036-1150				1.6 1150-1200							
	3-я от осевой							1.17.1 1000-1020												1.6 1150-1200			
	Дорожные ограждения и направляющие устр-ва справа	недост. огранич. 900-923		ПП		недост. огранич. 937-952		ПП				МО (УЗ) 1036-1150				удерж. ПП 1036-1150							
Тротуары справа		ширина 4 м, материал а/б 900-1200																					

This technical drawing illustrates a road layout with various traffic signs and markings. The drawing includes a plan view of the road with lane markings, crosswalks, and traffic signs. Key features include:

- Signs:** Various traffic signs are indicated by numbers and codes, such as 2.1, 3.4, 4.1.1, 4.1.2, 4.1.4, 5.15.2, 5.16, 5.19.1, 5.19.2, 6.10.1, 6.16, 8.2.1, 8.2.2, 8.2.4, 8.2.7, 8.2.8, 8.2.9, 8.2.10, 8.2.11, 8.2.12, 8.2.13, 8.2.14, 8.2.15, 8.2.16, 8.2.17, 8.2.18, 8.2.19, 8.2.20, 8.2.21, 8.2.22, 8.2.23, 8.2.24, 8.2.25, 8.2.26, 8.2.27, 8.2.28, 8.2.29, 8.2.30, 8.2.31, 8.2.32, 8.2.33, 8.2.34, 8.2.35, 8.2.36, 8.2.37, 8.2.38, 8.2.39, 8.2.40, 8.2.41, 8.2.42, 8.2.43, 8.2.44, 8.2.45, 8.2.46, 8.2.47, 8.2.48, 8.2.49, 8.2.50, 8.2.51, 8.2.52, 8.2.53, 8.2.54, 8.2.55, 8.2.56, 8.2.57, 8.2.58, 8.2.59, 8.2.60, 8.2.61, 8.2.62, 8.2.63, 8.2.64, 8.2.65, 8.2.66, 8.2.67, 8.2.68, 8.2.69, 8.2.70, 8.2.71, 8.2.72, 8.2.73, 8.2.74, 8.2.75, 8.2.76, 8.2.77, 8.2.78, 8.2.79, 8.2.80, 8.2.81, 8.2.82, 8.2.83, 8.2.84, 8.2.85, 8.2.86, 8.2.87, 8.2.88, 8.2.89, 8.2.90, 8.2.91, 8.2.92, 8.2.93, 8.2.94, 8.2.95, 8.2.96, 8.2.97, 8.2.98, 8.2.99, 8.2.100.
- Markings:** Road markings are shown with numbers and codes, such as 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 1.10, 1.11, 1.12, 1.13, 1.14, 1.15, 1.16, 1.17, 1.18, 1.19, 1.20, 1.21, 1.22, 1.23, 1.24, 1.25, 1.26, 1.27, 1.28, 1.29, 1.30, 1.31, 1.32, 1.33, 1.34, 1.35, 1.36, 1.37, 1.38, 1.39, 1.40, 1.41, 1.42, 1.43, 1.44, 1.45, 1.46, 1.47, 1.48, 1.49, 1.50, 1.51, 1.52, 1.53, 1.54, 1.55, 1.56, 1.57, 1.58, 1.59, 1.60, 1.61, 1.62, 1.63, 1.64, 1.65, 1.66, 1.67, 1.68, 1.69, 1.70, 1.71, 1.72, 1.73, 1.74, 1.75, 1.76, 1.77, 1.78, 1.79, 1.80, 1.81, 1.82, 1.83, 1.84, 1.85, 1.86, 1.87, 1.88, 1.89, 1.90, 1.91, 1.92, 1.93, 1.94, 1.95, 1.96, 1.97, 1.98, 1.99, 1.100.
- Dimensions:** Dimensions are indicated with numbers and codes, such as 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 1.10, 1.11, 1.12, 1.13, 1.14, 1.15, 1.16, 1.17, 1.18, 1.19, 1.20, 1.21, 1.22, 1.23, 1.24, 1.25, 1.26, 1.27, 1.28, 1.29, 1.30, 1.31, 1.32, 1.33, 1.34, 1.35, 1.36, 1.37, 1.38, 1.39, 1.40, 1.41, 1.42, 1.43, 1.44, 1.45, 1.46, 1.47, 1.48, 1.49, 1.50, 1.51, 1.52, 1.53, 1.54, 1.55, 1.56, 1.57, 1.58, 1.59, 1.60, 1.61, 1.62, 1.63, 1.64, 1.65, 1.66, 1.67, 1.68, 1.69, 1.70, 1.71, 1.72, 1.73, 1.74, 1.75, 1.76, 1.77, 1.78, 1.79, 1.80, 1.81, 1.82, 1.83, 1.84, 1.85, 1.86, 1.87, 1.88, 1.89, 1.90, 1.91, 1.92, 1.93, 1.94, 1.95, 1.96, 1.97, 1.98, 1.99, 1.100.
- Notes:** A note at the bottom right states: "Знаки учтены в ПОДД на примыкающие улицы" (Signs are taken into account in the POADD for the adjacent streets).

Горизонтальная дорожная разметка справа	Осевая линия	1.6	1200-1208	1.1 1200-1245	1.7	1.1 1252-1491								1.82	1.6 1482-1500
	1-я от осевой	1.6	1200-1208	1.1 1209-1243	1.7	1.5	1.6	1.1	1.7	1.6	1.1	1.5			
		1.6	1200-1208	1.1 1209-1243	1.7	1257-1317	1317-1367	1367-1387	1387-1400	1400-1454	1454-1478	1482-1500			
	2-я от осевой	1.6	1200-1208	1.1	1.7	1.5	1.6	1.1	1.7	1.6	1.1	1.5			
		1.6	1200-1208	1209-1243	1.7	1243-1257	1257-1317	1317-1367	1367-1387	1387-1400	1400-1454	1454-1478	1482-1500		
3-я от осевой											1.17.1 1453-1473				
Дорожные ограждения и направляющие устр-ва справа															
Тротуары справа		ширина 4 м, материал а/б 1200-1500													

[illegible]


1.1
2005-2100

Горизонтальная дорожная разметка справа	Осевая линия	1.3 1800–1855			1.1 1800–1974					1.11 1965–1975	1.3 1975–2005	1.1 2005–2100					
	1-я от осевой	1.5 1807–1881				1.6 1881–1931			1.1 1931–1351	1.11 1951–1955	1.5 1955–2080					1.6 2080–2100	
	2-я от осевой	1.1 1800–1803	1.5 1807–1847	1.7 1807–1890	1.7 1893–1933	1.11 1933–1351	1.11 1951–1955	1.6 1955–2005			1.1 2005–2025	1.11 2025–2037	1.7 2037–2079		1.11 2079–2088	1.1 2088–2100	
	3-я от осевой										1.17.1 2005–2025						
Дорожные ограждения и направляющие устр-ва справа																	
Тротуары справа		ширина 4 м, материал а/б 1800–2100															

Тротуары слева		ширина 4 м, материал а/б 2400-2442	
Дорожные ограждения и направляющие устр-ва слева		огранич. ПП 2410-2442	
Дорожные ограждения и направляющие устр-ва по осевой			
Горизонтальная дорожная разметка слева	4-я от осевой		
	3-я от осевой		
	2-я от осевой	1.5 2415-2435	
	1-я от осевой	1.5 2415-2435	1.7 2435-2442

Разметка на участке:


1.1 – 262 м
1.3ж. – 49 м
1.5 – 70 м
1.6 – 30 м
1.7 – 172 м
1.7ж. – 26 м
1.12 – 11 м
1.16.2 – 10 м
1.18(2) – 2 шм
1.18(3) – 1 шм



* Знаки учтены в ПОДД на примыкающие улицы

Горизонтальная дорожная разметка справа	Осевая линия	1.3 2400-2435		1.7 2435-42
	1-я от осевой	1.6 2400-2415	1.1 2415-2435	1.7 2435-2442
	2-я от осевой	1.6 2400-2415	1.1 2415-2442	
	3-я от осевой			
Дорожные ограждения и направляющие устр-ва справа		огранич. ПП 2400-2442		
Тротуары справа		ширина 4 м, материал а/б 2400-2442		

УЗЕЛ-1



* Знаки учтены в ПОДД на примыкающие улицы

